

# SHOPKO

\*\*\*\*\* SHOPKO STORE #025 \*\*\*\*\*  
MARSHALL, MN 532-3266

040030099998	PRESCRIPTIONS	7.99	Q
040030099998	PRESCRIPTIONS	7.99	Q
**** TAX	.00 BAL	15.98	
CASH		20.00	
CHANGE		4.02	

'Q' NON-TAXABLE FSA/HRA ELIGIBLE ITEM  
'X' TAXABLE FSA/HRA ELIGIBLE ITEM

HAPPY TO HAVE SERVED YOU...PAMELA

6/29/08 10:38AM 0025 52 0002 0602



036398233844833383

RECEIPT NBR - 0363 9823 3844 8333 831  
VALIDATION NBR - 8061104

\*\*\*\*\* RETURN POLICY \*\*\*\*\*  
+ Save your receipt for all returns +  
+ and exchanges within 90 days. +  
+ Some restrictions apply. +  
+ See WWW.SHOPKO.COM for details. +  
\*\*\*\*\*

Ask about our Receipt Lookup.

Giving a Gift? Get a Gift Receipt!

\*\*\*\*\*  
\* TAKE AN ON-LINE SURVEY AND ENTER \*  
\* TO WIN A \$250 SHOPPING SPREE \*  
\* WWW.SHOPKO.COM/CRSURVEY \*  
\*\*\*\*\*

For On-Line PRESCRIPTION REFILLS  
Please Visit WWW.SHOPKO.COM

NO REFUNDS ON PRESCRIPTION DRUGS

# WAL\*MART

Save money. Live better.

WAL\*MART  
WE SELL FOR LESS  
MANAGER KARI METHANY  
( 507 ) 532 - 9383  
ST# 1722 OP# 00002133 TE# 79 TR# 06057  
RX# 6934862 D38 QTY 1H 23.77 N  
SUBTOTAL 23.77  
TOTAL 3.77  
CASH TEND 60.00  
CHANGE DUE 26.23

# ITEMS SOLD 1


TC# 2296 3623 5429 0292 1572



Economic stimulus checks cashed free  
Keep all of your money. We can help.  
06/25/08 18 53:37

IGUEROA  
SSELVYN  
5TH ST  
HALL, MN 56258  
2008 (507) 582-9198  
6934862 REF = 0

4  
OC# 065 923 173 876 592 384 107 659 238  
TOTAL: \$23.77



79318 32697 1

Priority: Critical

**SHOPKO** pharmacy

1200 SUSAN DRIVE  
MARSHALL, MN 56258

Phone: (507)537-9650  
Date: 06/29/2008  
Rx: 6903506\*

PAID 0

**JESSELYN AGOSTA FIGUEROA**

111 S 5TH ST

MARSHALL, MN 56258-1203  
Pt. Phone: (507)401-6279

Price: \$7.99  
Quantity: 14  
Cash Price: \$7.99

**MEDICATION:** PREDNISONONE 20 MG TAB WEST  
**NDC:** 00143-1477-05

**PRESCRIBER:** PATEL, B

Authorization #: TP0806293F9Q71

000

06/29/2008



6903506-00143147705



49001837932

RX: 6903506\* DATE: 06/29/2008

DRUG NAME: PREDNISONONE 20 MG TAB WEST

GENERIC NAME: PREDNISONONE (PRED-ni-sone)

**COMMON USES:** This medicine is a corticosteroid used to treat severe allergies, arthritis, asthma, and skin conditions. It may also be used to treat other conditions as determined by your doctor.

**BEFORE USING THIS MEDICINE:** Some medicines or medical conditions may interact with this medicine. **INFORM YOUR DOCTOR OR PHARMACIST** of all prescription and over-the-counter medicine that you are taking. **ADDITIONAL MONITORING OF YOUR DOSE: OR CONDITION** may be needed if you are taking barbiturates (such as phenobarbital), birth control pills, rifampin, methotrexate, clarithromycin, itraconazole, ritodrine, or medicine for seizures (such as carbamazepine or phenytoin). Inform your doctor of any other medical conditions including ocular herpes simplex, mental or mood problems, stomach surgery, stomach problems (such as ulcer or ulcerative colitis), kidney problems, high blood pressure, osteoporosis, or myasthenia gravis, allergies, pregnancy, or breast-feeding. Contact your doctor or pharmacist if you have any questions or concerns about taking this medicine.

**HOW TO USE THIS MEDICINE:** Follow the directions for using this medicine provided by your doctor. **TAKE THIS MEDICINE** with food or a snack. **STORE THIS MEDICINE** at room temperature, away from heat and light. **IF YOU MISS A DOSE OF THIS MEDICINE** and you are taking 1 dose daily, take it as soon as possible. If you do not remember until the next day, skip the missed dose and go back to your regular dosing schedule. Do not take 2 doses at once.

**CAUTIONS: DO NOT TAKE THIS MEDICINE** if you have had an allergic reaction to it or are allergic to any ingredient in this product. **DO NOT STOP TAKING THIS MEDICINE** without checking with your doctor. Stopping this medicine suddenly may cause serious side effects. **KEEP ALL DOCTOR AND LABORATORY APPOINTMENTS** while you are using this medicine. **BEFORE YOU HAVE ANY MEDICAL OR DENTAL TREATMENTS, EMERGENCY CARE, OR SURGERY**, tell the doctor or dentist that you are using this medicine. **CORTICOSTEROIDS MAY LOWER YOUR ABILITY TO FIGHT INFECTION** or may cause infections to be more severe. The risk may be greater if you take them for a long time. Avoid contact with people who have infections such as colds, chickenpox, measles, or tuberculosis (TB). Tell your doctor right away if you have contact with anyone who has these infections. Tell your doctor if you develop symptoms such as fever, sore throat, rash, or chills. Check with your doctor if you have questions about your risk of infection. **CHECK WITH YOUR DOCTOR BEFORE HAVING**

**IMMUNIZATIONS (VACCINATIONS)** while you are using this medicine. **IF YOU HAVE OSTEOPOROSIS** (weak bones) or if you are at risk for developing osteoporosis, be sure you have enough calcium and vitamin D in your diet while you are taking this medicine. If you have questions about your risk for osteoporosis or whether you may need to take a calcium or vitamin D supplement while you take this medicine, talk with your doctor. **CORTICOSTEROID MEDICINES MAY AFFECT** growth rate in children and adolescents when used for an extended period of time. Your child's growth should be checked regularly while using this medicine. **BEFORE YOU BEGIN TAKING ANY NEW MEDICINE**, either prescription or over-the-counter, check with your doctor or pharmacist. **IF YOU PLAN ON BECOMING PREGNANT**, discuss with your doctor the benefits and risks of using this medicine during pregnancy. **IF YOU ARE OR WILL BE BREAST-FEEDING** while you are using this medicine, check with your doctor or pharmacist to discuss the risks to your baby. **IF YOU HAVE DIABETES**, this medicine may affect your blood sugar. Check blood sugar levels closely and ask your doctor before adjusting the dose of your diabetes medicine.

**POSSIBLE SIDE EFFECTS: SIDE EFFECTS** that may occur while you are taking this medicine include difficulty sleeping, nervousness, increased appetite, indigestion, or nausea. If they continue or are bothersome, check with your doctor. **CHECK WITH YOUR DOCTOR AS SOON AS POSSIBLE** if you experience bone problems (such as bone pain, or broken or fractured bones); chronic back pain; changes in menstrual periods; headache; muscle aches or weakness; fever, cold, or prolonged sore throat; vision changes or other eye problems; or unusual weight gain. **CONTACT YOUR DOCTOR IMMEDIATELY** if you experience swelling of feet, hands, or legs; black, tarry stools; mood, mental, or personality changes; severe muscle pain or weakness; skin growths; severe nausea or vomiting; or vomit that looks like coffee grounds. An allergic reaction to this medicine is unlikely, but seek immediate medical attention if it occurs. Symptoms of an allergic reaction include rash, itching, swelling, dizziness, or trouble breathing. If you notice other effects not listed above, contact your doctor, nurse, or pharmacist.

**OVERDOSE:** If overdose is suspected, contact your local poison control center or emergency room immediately.

**ADDITIONAL INFORMATION: DO NOT SHARE THIS MEDICINE** with others for whom it was not prescribed. **DO NOT USE THIS MEDICINE** for other health conditions. **KEEP THIS MEDICINE** out of the reach of children. **IF USING THIS MEDICINE FOR AN EXTENDED PERIOD OF TIME**, obtain refills before your supply runs out.

The information in this monograph is not intended to cover all possible uses, directions, precautions, drug interactions, or adverse effects. This information is generalized and is not intended as specific medical advice. If you have questions about the medicines you are taking or would like more information, check with your doctor, pharmacist, or nurse.

Copyright 2008 Wolters Kluwer Health, Inc. All rights reserved. Database Edition 08.2 Information Expires July 23, 2008

**SHOPKO** pharmacy  
1200 SUSAN DRIVE  
MARSHALL, MN 56258

Phone: (507)537-9650  
Date: 06/29/2008  
Rx: 8013072\*

PAID 0  
**JESSELYN AGOSTA FIGUEROA**

111 S 5TH ST  
MARSHALL, MN 56258-1203  
Pt. Phone: (507)401-6279  
Price: \$7.99  
Quantity: 30  
Cash Price: \$7.99

**MEDICATION:** LORATADINE 10 MG TAB APOT  
**NDC:** 60505-0147-01  
**NO REFILLS**

**PRESCRIBER:** PATEL, B  
Authorization # TN0806293EBIM1

000  
8013072-60505014701  
06/29/2008



49001837931

RX: 8013072 \*      DATE: 06/29/2008  
DRUG NAME: LORATADINE 10 MG      TAB APOT  
GENERIC NAME: LORATADINE (lor-AT-a-deen)

**COMMON USES:** This medicine is an antihistamine used to treat the symptoms of hay fever and other allergic conditions such as watery eyes; runny nose (rhinitis); itching eyes, nose, or throat; and sneezing. It may also be used to treat other conditions as determined by your doctor.

**BEFORE USING THIS MEDICINE:** Some medicines or medical conditions may interact with this medicine. **INFORM YOUR DOCTOR OR PHARMACIST** of all other medical over-the-counter medicine that you are taking. Inform your doctor of any other medical conditions including kidney or liver problems, lung or breathing problems (such as emphysema, asthma, or chronic bronchitis), allergies, pregnancy, or breast-feeding. Use of this medicine in children under age 6 is not recommended without talking with your child's doctor. Discuss with your doctor the risks and benefits of giving this medicine to your child. Contact your doctor or pharmacist if you have any questions or concerns about taking this medicine.

**HOW TO USE THIS MEDICINE:** Follow the directions for using this medicine provided by your doctor. This medicine may be taken on an empty stomach or with food. **STORE THIS MEDICINE** at room temperature in a tightly closed container, between 68 and 77 degrees F (20 and 25 degrees C), away from heat and moisture. **IF YOU MISS A DOSE** Of THIS MEDICINE and you are using it regularly, take it as soon as possible. If it is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule. Do not take 2 doses at once.

**CAUTIONS: DO NOT TAKE THIS MEDICINE** if you have had an allergic reaction to it or are allergic to any ingredient in this product. **DO NOT EXCEED THE RECOMMENDED DOSE** or take this medicine more often than directed. Exceeding the recommended dose may cause drowsiness. **THIS MEDICINE MAY AFFECT CERTAIN LAB TEST RESULTS** including skin allergy tests. Make sure laboratory personnel and your doctors know you use this medicine. **BEFORE YOU BEGIN TAKING ANY NEW MEDICINE**, either prescription or over-the-counter, check with your doctor or pharmacist. **FOR WOMEN: IF YOU PLAN ON BECOMING PREGNANT**, discuss with your doctor the benefits and risks of using this medicine during pregnancy. **THIS MEDICINE IS EXCRETED IN BREAST MILK. IF YOU ARE OR WILL BE BREAST-FEEDING** while you are using this medicine, check with your doctor or pharmacist to discuss the risks to your baby. **POSSIBLE SIDE EFFECTS: NO COMMON SIDE EFFECTS HAVE BEEN REPORTED**

with the proper use of this medicine. If you notice any unusual effects, contact your doctor, nurse, or pharmacist. **CONTACT YOUR DOCTOR IMMEDIATELY** if you experience severe or persistent dizziness. An allergic reaction to this medicine is unlikely, but seek immediate medical attention if it occurs. Symptoms of an allergic reaction include rash, itching, swellings, severe dizziness, wheezing, or trouble breathing. If you notice any unusual effects, check with your doctor, nurse, or pharmacist.

**OVERDOSE:** If overdose is suspected, contact your local poison control center or emergency room immediately. Symptoms of overdose may include severe drowsiness or headache, and fast or irregular heartbeat.

**ADDITIONAL INFORMATION:** If your symptoms do not improve or if they become worse, contact your doctor. **DO NOT SHARE THIS MEDICINE** with others for whom it was not prescribed. **DO NOT USE THIS MEDICINE** for other health conditions. **KEEP THIS MEDICINE** out of the reach of children and pets. **IF USING THIS MEDICINE FOR AN EXTENDED PERIOD OF TIME**, obtain refills before your supply runs out.

The information in this monograph is not intended to cover all possible uses, directions, precautions, drug interactions, or adverse effects. This information is generalized and is not intended as specific medical advice. If you have questions about the medicines you are taking or would like more information, check with your doctor, pharmacist, or nurse.

# FIGUEROA, JESSELYN

Rx #: 6934862  
Date: 06/25/2008

If you have any questions, please feel free to contact your pharmacist at (507) 532-9198 or KOCOUREK, BRUCE at (507) 825-5700  
Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088

Directions: APPLY A SMALL AMT TO RASH TWICE DAILY

## AUG BETAMET 0.05% OIN

12

BETAMETHASONE (bay-ta-METH-a-son)

**COMMON USES:** This medicine is a corticosteroid used to reduce itching, redness, and swelling associated with many skin conditions. It may also be used to treat other conditions as determined by your doctor.

**HOW TO USE THIS MEDICINE:** Follow the directions for using this medicine provided by your doctor. TO USE THIS MEDICINE: apply a small amount of medicine to the affected area. Gently rub the medicine in until it is evenly distributed. Wash your hands after applying this medicine, unless your hands are part of treated area. DO NOT BANDAGE OR WRAP the affected area unless directed otherwise by your doctor. STORE THIS MEDICINE at room temperature, away from heat and light. IF YOU MISS A DOSE OF THIS MEDICINE, apply it as soon as possible. If it is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule.

**CAUTIONS:** IF YOUR SYMPTOMS DO NOT IMPROVE WITHIN A FEW DAYS, or if they become worse, check with your doctor. DO NOT USE THIS MEDICINE longer than the time prescribed by your doctor. DO NOT USE THIS MEDICINE for other skin conditions at a later time. DO NOT GET THIS MEDICINE in your eyes. FOR WOMEN: IF YOU PLAN ON BECOMING PREGNANT, discuss with your doctor the benefits and risks of using this medicine during pregnancy. IT IS UNKNOWN IF THIS MEDICINE IS EXCRETED in breast milk. IF YOU ARE OR WILL BE BREAST-FEEDING while you are using this medicine, check with your doctor or pharmacist to discuss the risks to your baby.

**POSSIBLE SIDE EFFECTS:** CHECK WITH YOUR DOCTOR AS SOON AS POSSIBLE if you experience skin thinning and discoloration, stinging, rash, dry skin, itching, burning, redness, or swelling not present before using this medicine. If you notice other effects not listed above, contact your doctor, nurse, or pharmacist.

**BEFORE USING THIS MEDICINE:** INFORM YOUR DOCTOR OR PHARMACIST of all prescription and over-the-counter medicine that you are taking. ADDITIONAL MONITORING OF YOUR DOSE OR CONDITION may be needed if you are taking prednisone (or similar medicines). Inform your doctor of any other medical conditions, allergies, pregnancy, or breast-feeding.

**OVERDOSE:** If overdose is suspected, contact your local poison control center or emergency room immediately. Symptoms may include increased thirst or urination; muscle weakness; or unusual weight gain, especially in the face.

**PATIENT-ORIENTED DISCLAIMER:** The information in this monograph is not intended to cover all possible uses, directions, precautions, drug interactions, or adverse effects. This information is generalized and is not intended as specific medical advice. If you have questions about the medicines you are taking or would like more information, check with your doctor, pharmacist, or nurse.

Database Edition: 82. Information Expires 07/17/2008

**WAL\*MART**  
PHARMACY

(507) 532-9198  
1221 EAST MAIN STREET  
MARSHALL, MN 56258 -0000

\$32.78

FIGUEROA, JESSELYN 06/25/2008 NEW  
203 N 5TH ST MARSHALL, MN 56258  
RX: 6934862 Ref # 0 QTY: 50 DAW: 0 DS: 10  
NDC: 00168-0268-50 AUG BETAMET 0.05% OIN FOU  
KOCOUREK, BRUCE NABP: 2419934

Patient Pay \$23.77

**WAL\*MART**  
PHARMACY

(507) 532-9198  
1221 EAST MAIN STREET  
MARSHALL, MN 56258 -0000

\$32.78

FIGUEROA, JESSELYN 06/25/2008 NEW  
203 N 5TH ST MARSHALL, MN 56258  
RX: 6934862 Ref # 0 QTY: 50 DAW: 0 DS: 10  
NDC: 00168-0268-50 AUG BETAMET 0.05% OIN FOU  
KOCOUREK, BRUCE NABP: 2419934

Patient Pay \$23.77