

Leonard Bustamante

Longmont, CO 80501

leonardbustamante95@gmail.com

7204872438

Authorized to work in the US for any employer

Work Experience

Machine Operator and Assembler (temporary)

aerocom industries - Longmont, CO

2018 to 2018

I operated the control and production of internal fuel pump parts using a mill cnc machine.

Maintenance Worker (Seasonal)

Wards lawn service - Longmont, CO

2017 to 2018

I worked on a crew of 3 men who loaded up a truck and trailer with agricultural tools such as lawn mowers and weed eaters and used the tools provided to maintain the upkeep of 8 - 10 properties.

Setter/Operator

Split Rail Fence & Supply Co - Dacono, CO

2016 to 2017

I would work on a 3 man crew to dig and set posts in the ground using a auger, hand diggers and concrete, typically doing about 4 -7 properties a day.

Machine Operator

m.t.i. - Firestone, CO

June 2016 to June 2016

used cnc plastic molding machines to produce dog toys we would count how many we produced and boxed neatly and shipped to other companies.

Crew Chief

BrightView Landscape Services - Broomfield, CO

2014 to 2016

I supervised a 4 man crew, drove the work truck and trailer to various properties, and operated the heavy machinery, such as ride on mowers, bobcats and also trained new coworkers.

Machine Operator

aimes - Frederick, CO

May 2015 to May 2015

used cnc plastic molding machines to produce military use equipment like grip and stocks also trigger switches count how many parts we produced and box and ship to another company to be processed into the actual weapon.

Education

High school or equivalent in agriculture

Frederick High School - Frederick, CO

2010 to 2014

Skills

CNC, Molding

Additional Information

I would like to find a fast paced job with a good environment to work in and eventually make a living out of. I am a hardworking and reliable person, who finds the most effective and efficient way to do things when challenges arise. I am also very proactive in my work. Lastly, I am dependable to my job and consistent in its quality.