

Aurelio Nunez

Chemical Operator - Hospira - Manufacturing

Boulder, CO

jrnunez178@gmail.com - 303-359-7441

WORK EXPERIENCE

Chemical Operator

Hospira - Manufacturing - September 2008 to Present

Pharmaceutical manufacturing technician at an API cGMP manufacturing facility.

- Responsible for performing a variety of small and large-scale API manufacturing tasks and activities related to advancing the product through various processes to achieve prescribed level of purity, quality and consistency.
- Currently training employees in process tasks, scientific theory and process documentation in order to become qualified under cGMP guidelines to perform API pharmaceutical manufacturing tasks.
- Perform process manufacturing tasks including operation of small and large scale equipment, weighing, measuring, monitoring of raw and in-process materials to assure batches contain proper ingredients, quantities and process output.
- Collaborate with engineers, chemist, environmental health and safety, maintenance to ensure robust operating procedures.

Production - Chemical Operator

Boulder Scientific Company - July 2005 to September 2008

Control chemical reactions while maintaining process parameters following SOP's, written instructions and safety guidelines.

- Responsible for handling hazardous materials safely ensuring personal safety and product integrity.
- Keep a detailed record of process parameters, activities, and usages.
- Wear appropriate PPE.
- Sample products in inert atmospheres, perform analytical procedures and interpret results.
- Calibrate digital and analog pressure and temperature gauges.
- Developed a working knowledge of chemical processes and functions.
- Clean, prepare, and set up equipment for different processes.

EDUCATION

Associates in Applied Science Degree in Electronic Engineering in Electronic Engineering

ITT Technical Institute - Thornton, CO

1996 to 1998

SKILLS

40 Hour Hazwoper and OSHA Training (29 CFR 1910.120), First aid and CPR certified, Certified Fork lift operator, Direct surface sampling