

Job Description Flume

SUMMARY

Responsible for slicing apples and filling slotted trays with sliced apples, while managing company processes, procedures and safe food handling practices. Slotted trays should be filled approximately half full with sliced apples (21 pounds). This position is required to sanitize returning trays when available to. If absent, another trained employee or trained backup will be scheduled to cover responsibilities for this position.

PRIMARY RESPONSIBILITIES

1. **Personal Protective Equipment Required (PPE):** ear plugs, hairnet, hood, blue apron, white rain pants, disposable sleeves, white vinyl gloves, clean smock, goggles, and yellow rubber boots. Sanitize sleeves and gloves every 15 minutes. Sanitize apron every 3 hours. Comply with product contact GMPs (QA0183WI Good Manufacturing Practices).
2. Enter Raw Room wearing yellow boots, white rain pants, and goggles.
3. Inspect apple slicers to ensure all parts of the equipment are put back together and that the equipment is clean from sanitation.
4. Turn on slicers to warm them up for the start of shift.
5. Place empty slotted trays on the scale machine at the outfeed exit end of the flume.
6. Sort out poor quality apple slices (seeds, seed pockets, stems, broken slices) as they fall from Tank 3 treatment discharge conveyor into the slotted trays.
7. Place filled slotted trays into the stainless steel racks, transfer sliced apples trays to window person.
8. All slotted trays returned to the Raw Room need to be sanitized with Klormon in the sink area.
9. Do not lean on or handle anything other than the cart and slotted trays.
10. Adhere to company Employee Hygiene Practices, company food safety procedures and GMPs.
11. Other duties as assigned by the Assistant Supervisor and Production Supervisor.

Slicing Room:

12. Begin slicing, picking up apples out of the trough, and placing them in the openings on the slicer. Place the apples with the stem sticking straight up.
13. Continue this process until all of the whole apples from the trough, have been sliced. The goal is to fill any openings in the table as the table spins in a circle.
14. Monitor apple slices to for indication of broken, missing or dull blades.

Tumbler Room:

15. Rinse the slicer with Klormon from the Klormon hose.
16. When the Line Lead approves startup, remove the weight from the top of the first tub of whole apples, and place it on the second tub.
17. Begin slicing, picking up apples out of the tub, and placing them in the openings on the slicer. Place the apples with the stem sticking straight up.

