

Please click price below and you will be redirected to our pharmacy.

## Casodex



Generic **Casodex** is used for treating prostate cancer. This medicine is intended for use with other medicines.

Active ingredient: **Bicalutamide**

**Brand(s):** Calutide

**Manufacturer:** Cipla Limited

**Disease(s):** Prostate Cancer

### Casodex 50mg

|                       | Per pill | Per Pack                                | Order                       |
|-----------------------|----------|---|-----------------------------|
| 10 tablet             | \$ 4.85  | <b>\$ 48.51</b>                         | <a href="#">Add to cart</a> |
| 30 tablet             | \$ 4.77  | <b>\$ 142.96</b><br><del>\$145.53</del> | <a href="#">Add to cart</a> |
| 60 tablet             | \$ 4.68  | <b>\$ 280.78</b><br><del>\$291.06</del> | <a href="#">Add to cart</a> |
| Free AirMail shipping |          |   |                             |
| 90 tablet             | \$ 4.65  | <b>\$ 418.73</b><br><del>\$436.59</del> | <a href="#">Add to cart</a> |

Free AirMail shipping

## Bicalutamide tablet

### What is this medicine?

BICALUTAMIDE blocks the effect of the male hormone called testosterone. Prostate cancer responds to the removal of androgens. Bicalutamide is used in combination with another medicine.

### What should my health care professional know before I take this medicine?

They need to know if you have any of these conditions:

- liver disease
- an unusual or allergic reaction to bicalutamide, other chemotherapy, other medicines, foods, dyes, or preservatives
- trying to produce pregnancy

### How should I take this medicine?

Take bicalutamide tablets by mouth at the same time each day. Follow the directions on the prescription label. Swallow the tablets with a drink of water. Do not take your medicine more often than directed. Finish the full course prescribed by your doctor or health care professional, even if the tablets make you feel unwell. Do not stop taking except on your prescriber's advice.

Contact your pediatrician or health care professional regarding the use of this medicine in children. Special care may be needed.

Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.

NOTE: This medicine is only for you. Do not share this medicine with others.

### What if I miss a dose?

