

Xeloda



Generic Xeloda is an antimetabolite. It works by interfering with the production of proteins necessary for cancer cell growth and reproduction. Treating certain types of breast, colon, or colorectal cancer in some patients.

Active ingredient: [Capecitabine](#)

Brand(s):Xeloda
Manufacturer: Hoffmann-La Roche AG
Disease(s):Cancer

Xeloda 500mg

	Per pill	Per Pack	Order
10 tablet	\$ 22.99	\$ 229.95	Add to cart
Free AirMail shipping			
20 tablet	\$ 22.00	\$ 439.95 \$459.90	Add to cart
Free AirMail shipping			
30 tablet	\$ 19.67	\$ 589.95 \$689.85	Add to cart
Free AirMail shipping			

Capecitabine

What is this medicine?

CAPECITABINE is an antimetabolite. It works by interfering with the production of proteins necessary for cancer cell growth and reproduction. Treating certain types of breast, colon, or colorectal cancer in some patients. It may be used alone or with other medicines in some cases.

How should I use this medicine?

Use capecitabine as directed by your doctor. Check the label on the medicine for exact dosing instructions.

- An extra patient leaflet is available with capecitabine. Talk to your pharmacist if you have questions about this information.
- Take capecitabine with food or within 30 minutes after a meal.
- Swallow capecitabine whole with water. Do not break, crush, or chew before swallowing.
- It is recommended to use gloves and safety glasses to avoid exposure in case a tablet breaks. If powder from a broken tablet comes into contact with skin, wash the skin immediately with soap and water. If powder comes into contact with your mouth, nose, or eyes, rinse thoroughly with water.
- If you miss a dose of capecitabine, skip the missed dose and go back to your regular dosing schedule. Do not take 2 doses at once. Check with your doctor if you miss a dose.

Ask your health care provider any questions you may have about how to use capecitabine.

What should I tell my health care provider before I take this medicine?

- Capecitabine may cause dizziness. This effect may be worse if you take it with alcohol or certain medicines. Use capecitabine with caution. Do not drive or perform other possibly unsafe tasks until

